دکسولین®

دکسپانتنول ۳ درصد

قبل از مصرف فرآورده، بروشور را به دقت مطالعه کنید.

موارد مصرف فرآورده:

شکل فرآورده: اسپری بینی
اسپری دکسپانتنول به علت خاصیت مرطوب کنندگی و ترمیم کنندگی می‌تواند جهت پیشگیری و درمان خشکی بینی استفاده شود. به همین منظور این اسپری در رینیت ناشی از سرماخوردگی، آلرژی، خشکی بینی پس از جراحی، قرار گرفتن در محیط‌های دارای هوای خشک یا سرد، و همچنین در اثر مصرف برخی داروها می‌تواند مصرف شود.
اسپری بینی دکسپانتنول حاوی نمک در غلظت ایزوتونیک، خواصی مشابه با مخاط بینی به همراه دارد. این اسپری موجب مرطوب‌سازی بینی شده و آن را به‌طور ملایم و طبیعی پاکسازی می‌کند. علاوه‌بر این، حاوی ماده مؤثره دکسپانتنول است که با ایجاد یک لایه نازک محافظ روی مخاط بینی، موجب تغذیه و رطوبت‌رسانی آن می‌شود. در نتیجه این اسپری باعث تسریع در ترمیم می‌شود.

راهنمایی‌های عمومی:
دکسپانتنول برای بیماری فعلی شما تجویز شده است. لذا از مصرف آن در موارد مشابه یا توصیه به دیگران جدا خودداری نمایید.

هشدارها:
•مصرف دکسپانتنول در کودکان تنها با تشخیص پزشک مجاز است. ایمنی و اثربخشی این فرآورده در کودکان زیر ۱۲ ماه بررسی نشده است و به همین منظور مصرف آن توصیه نمی‌گردد.
•از تماس نوک اسپری با مخاط بینی و سطوح دیگر خودداری کنید و در صورت تماس با آب ولرم و دستمال تمیز نمایید.

موارد احتیاط و منع مصرف:
•در صورت وجود هرگونه حساسیت نسبت به دکسپانتنول یا هر یک از مواد جانبی ذکر شده در بخش مشخصات فرآورده با پزشک خود مشورت نمایید.

مصرف در بارداری و شیردهی:
•در صورت بارداری و یا شیردهی پیش از مصرف دکسپانتنول از پزشک یا داروساز خود مشورت بخواهید.

تداخلات فرآورده:
در صورت استفاده از سایر داروها، حتما پزشک خود را مطلع نمایید.

مقدار مصرف فرآورده:
مقدار مصرف هر فرآورده را پزشک معین می‌کند، اما مقدار مصرف معمول دکسپانتنول به صورت زیر است:
کودکان ۶ ماه ۱ پاف در هر سوراخ بینی دوبار در روز.
کودکان ۲-۱۲ سال: ۱ پاف در هر سوراخ بینی ۴-۲ بار در روز.
کودکان بالای ۱۲ سال و بزرگسالان: ۱ پاف در هر سوراخ بینی ۴-۲ بار در روز.

نحوه صحیح مصرف فرآورده:
•پیش از مصرف اسپری دستان خود را بشویید.
•قبل از استفاده، بینی خود را به آرامی با بازدم هوا تخلیه کنید.
•برای اطمینان از عملکرد پمپ، آن را دور از چشم و در هوا اسپری کنید تا بتوانید ذرات ریز را ببینید.
•پس از باز کردن دریوش اسپری، اسپری را بین انگشت اشاره و انگشت وسط نگه داشته، سر را کمی به جلو خم کنید و به آرامی نفس بکشید. سر اسپری را در سوراخ بینی قرار دهید، با دست سوراخ دیگر بینی را مسدود نمایید و بدون تماس با مخاط بینی اسپری را فشار دهید. نفس عمیق بکشید و از وارد شدن فرآورده به سوراخ بینی اطمینان حاصل نمایید.



•در صورت تماس سر اسپری با مخاط بینی، سر اسپری را با دستمال تمیز پاک نمایید.
•دریوش اسپری را بلافاصله پس از استفاده محکم ببندید.
استفاده بیش از یک نفر از این ظرف ممکن است باعث انتشار عفونت شود.
در صورت فراموشی هر نوبت از فرآورده، به محض یادآوری آن را مصرف کنید. ولی اگر تقریبا زمان نوبت بعدی فرا رسیده بود، مطابق روال قبل فرآورده را مصرف نموده و مقدار آن را دو برابر نکنید.

عوارض جانبی احتمالی:
هر فرآورده به موازات آثار درمانی ممکن است باعث بروز برخی عوارض ناخواسته گردد، اگرچه همه این عوارض در یک فرد دیده نمی‌شود.
در صورت بروز عوارض زیر یا عوارضی غیر از آنچه در برگه راهنما قید گردیده است فرآورده را قطع و با پزشک، داروساز و یا مراکز درمانی تماس بگیرید.
عطسه، سوزش، تحریک یا افزایش ترشحات بینی.

شرایط نگهداری فرآورده:
•فرآورده را دور از نور و در دمای کمتر از ۳۰ درجه سانتی‌گراد نگهداری و از یخ‌زدگی محافظت نمایید.
•فرآورده را دور از دید و دسترس کودکان نگهداری نمایید.
•حداکثر زمان نگهداری فرآورده پس از باز شدن چهار هفته است.

مشخصات فرآورده:
هر ۱ میلی‌لیتر از محلول اسپری بینی حاوی ۳۰ میلی‌گرم ماده موثره دکسپانتنول می‌باشد. سایر مواد جانبی شامل بنزالکونیوم کلراید، دی سدیم ادتات، سدیم کلراید، دی‌سدیم هیدروژن فسفات انهیدروژ، سدیم دی‌هیدروژن فسفات ۲ آبه، و آب قابل تزریق (Water for Injection) می‌باشد. هر جعبه حاوی ۲۰ میلی‌لیتر محلول در یک بطری ۲۰ میلی‌لیتری به همراه اسپری و دریوش می‌باشد.

ساخت شرکت داروسازی نوآوری زیستی
البرز - ایران

INOCLON

DEXOLIN®

3%

Read all of this leaflet carefully before you start using this product because it contains important information for you.
•Keep this leaflet. You may need to read it again.
•Always use this product exactly as described in this leaflet or as instructed by your doctor or pharmacist.
•If you need more information or advice, ask your pharmacist.
•This product has been prescribed for you only. Do not pass it on to others. It may harm them, even if their symptoms are the same as yours.
•If you experience any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet.

What is in this leaflet:

1.What DEXPANTHENOL nasal sprays are and what they are used for
2.What you need to know before you use DEXPANTHENOL nasal sprays
3.How to use DEXPANTHENOL nasal sprays
4.Possible side effects
5.How to store DEXPANTHENOL nasal spray
6.Contents of the pack and product description

1.What DEXPANTHENOL nasal sprays are and what they are used for

DEXPANTHENOL Nasal Sprays, due to its moisturizing and regenerative properties, can be used for the prevention and treatment of nasal dryness. Accordingly, this spray may be applied in cases of rhinitis caused by common cold or allergies, nasal dryness after surgery, exposure to dry or cold environments, as well as dryness resulting from the use of certain medications.

The spray contains salt in an isotonic concentration, meaning it has properties comparable to the nasal mucosa. This ensures moisturization of the nose and provides gentle and natural cleansing. In addition, it contains the active ingredient Dexpanthenol, which forms a thin protective film over the nasal mucosa, thereby nourishing and hydrating it.

2.What you need to know before you use DEXPANTHENOL nasal sprays

Caution

Do not use DEXPANTHENOL nasal sprays if:

•You are allergic (hypersensitive) to Dexpanthenol or to any of the other ingredients in this medicine.
•The container is damaged.

Take special care with DEXPANTHENOL nasal sprays:

•Usually safe for children above 12 months, pregnant women, and the elderly, but it is best to consult your doctor or pharmacist for infants or for long-term use.
•There is not enough information available regarding the safety and efficacy of this product in children below 12 months of age.
•Avoid contact of spray nozzle with the nasal mucosa or other surfaces. If contact occurs, clean it with lukewarm water and a clean tissue.

Other medicines and DEXPANTHENOL nasal sprays:

•Tell your doctor or pharmacist if you are taking, have recently taken, or might take any other product.

Pregnancy, breast-feeding, and fertility:

•This product is safe to use if you are pregnant or breast feeding, but not for longer than 30 days without interruption.

3.How to use DEXPANTHENOL nasal sprays

Always use this product exactly as described in this leaflet or as your doctor or pharmacist has told you. Check with your doctor or pharmacist if you are not sure.

How much to use

Children 12–24 months: 1 spray into each nostril, twice daily.

Children 2–12 years: 1 spray into each nostril, 2–4 times daily.

Children over 12 years and adults: 1 spray into each nostril, 2–4 times daily.

Instructions for use in the nose

1.Wash your hands well before use.
2.Gently blow your nose to clear it of mucus before using the product.
3.Remove the cap. Shake the bottle. The first time you use the pump spray each day, you may have to "prime" it. Do this by squirting it a few times into the air until a fine mist comes out.
4.Tilt your head forward slightly. Breathe out slowly.
5.Hold the pump bottle with your thumb at the bottom and your index and middle fingers on top. Insert the canister tip in your nose, aiming the tip toward the back of your head. Use a finger on your other hand to close your nostril on the side not receiving the product.
6.Squeeze the pump as you begin to breathe in slowly through your nose. Repeat these steps for the other nostril. If you're using more than one spray in each nostril, follow all these steps again.
7.Try not to sneeze or blow your nose just after using the spray.
8.When you have finished, wipe the nozzle so it is clean and then put the cap back on.

For nasal use only. Each bottle should be used by only one person, as sharing the dispenser may spread infection.

If you forget to use DEXPANTHENOL nasal sprays:

Use a single puff as soon as you remember and then go back to your regular dosing routine. However, if it is almost time for your next dose, skip the missed dose and go back to your regular dosing routine. Do not use a double dose to make up for the ones missed.

4.Possible side effects:

Like all medications, this drug may cause some unwanted side effects, although not everyone experiences them. Discontinue use and consult a doctor, pharmacist, or medical center if you experience any of the following or other unexpected effects:
If the inside of your nose becomes very dry or irritated
Seek emergency medical help if you have signs of an allergic reaction, such as hives, difficulty breathing, or swelling of the face, lips, tongue, or throat.

5.How to store DEXPANTHENOL nasal spray

•Store Dexpanthenol nasal spray in the original container away from direct light.
•Store below 30 °C.
•Keep this medicine in a safe place where children cannot see or reach it.
•Throw away the bottle after 4 weeks of first opening.

6.Contents of the pack and product description

What DEXPANTHENOL nasal sprays contain:
The active substance is Dexpanthenol 3% w/v.
The other ingredients are benzalkonium chloride, disodium edetate, sodium chloride, disodium hydrogen phosphate anhydrous, sodium dihydrogen phosphate 2H2O, and water for injection.

What DEXPANTHENOL nasal sprays look like and the contents of the pack:
DEXPANTHENOL nasal spray is a clear and colorless liquid supplied in a 20 mL bottle with a spray cap.